WATER POLLUTION CONTROL AUTHORITY

Town of Trumbull

CONNECTICUT

TOWN HALL
(203) 452-5048

5866 MAIN STREET
TRUMBULL, CT 06611

MARCH 25, 2026
AGENDA

NOTICE is hereby given that the Water Pollution Control Authority of the Town of Trumbull, CT will hold a special meeting via videoconference on Wednesday, March 25, 2026, at 6:00 p.m.

Join the meeting:
Water Pollution Control Authority Special Meeting
Mar 25, 2026, 6:00 PM
https://us06web.zoom.us/j/86344217758?pwd=Q8fDg1WmkFBajjVOEVFpXAtQtIrQ8R.1
Webinar ID: 863 4421 7758
Password: 333396

Join by telephone: (309) 205-3325 / Webinar ID: 863 4421 7758

---

1. CALL TO ORDER

2. ROLL CALL

3. FEBRUARY 26, 2026, MEETING MINUTES APPROVAL:
   https://www.trumbull-ct.gov/AgendaCenter/ViewFile/Minutes/_02262026-6005

4. DISCUSSION ITEMS:
   - Year-To-Date WPCA Budget Report
   - FY2026-2027 Operating Budget Update

5. NEW BUSINESS:
   - Sanitary Sewer Connection Request – Easton CT Residence

6. ADJOURNMENT

TOWN OF TRUMBULL

YEAR-TO-DATE BUDGET REPORT

FOR 2026 13

ACCOUNTS FOR: 20 SEWER		ORIGINAL APPROP	TRANFRS/ ADJSTMTS	REVISED BUDGET	YTD ACTUAL	ENCUMBRANCES	AVAILABLE BUDGET	PCT USE/COL
20100000 SEWERS-ENTERPRISE								
20100000 410010	MAINTREV	0	0	0	-.52	.00	.52	100.0%
20100000 440000	FEE REV	0	0	0	-3,900.00	.00	3,900.00	100.0%
20100000 440022	SEWERUS	0	0	0	-6,816,064.07	.00	6,816,064.07	100.0%
20100000 480002	MISC REV	0	0	0	-2,075.00	.00	2,075.00	100.0%
20100000 501101	SAL-FT/PER	427,252	0	427,252	246,472.37	.00	180,779.63	57.7%
20100000 501103	SAL-SEASON	5,872	0	5,872	5,857.20	.00	14.80	99.7%
20100000 501105	SAL-OVRTIM	15,000	0	15,000	10,371.82	.00	4,628.18	69.1%
20100000 501888	UNIFORMALL	1,685	0	1,685	281.52	.00	1,403.48	16.7%
20100000 522201	SVS-CLRC	1,750	0	1,750	18.76	.00	1,731.24	1.1%
20100000 522202	SVS-PROF	165,000	0	165,000	36,275.00	29,725.00	99,000.00	40.0%
20100000 522204	SVS-CONTRC	7,651,398	0	7,651,398	4,728,482.69	2,867,980.56	54,934.75	99.3%
20100000 522210	REIMB-GF	734,000	0	734,000	734,000.00	.00	.00	100.0%
20100000 534402	MTLS-PROG	18,800	0	18,800	5,781.18	2,084.20	10,934.62	41.8%
20100000 545501	COM-LEGAL	4,600	0	4,600	3,640.49	.00	959.51	79.1%
20100000 567701	TRNSP-GAS	9,200	0	9,200	4,430.01	.00	4,769.99	48.2%
20100000 567702	TRNSP-VEH	10,000	0	10,000	328.98	.00	9,671.02	3.3%
20100000 578801	MNTNCE-SV	25,000	0	25,000	3,008.00	.00	21,992.00	12.0%
20100000 578803	MNTNCE-PRG	50,000	0	50,000	16,457.13	5,715.00	27,827.87	44.3%
20100000 578805	XTRA ITEM	50,000	0	50,000	.00	.00	50,000.00	.0%
20100000 581888	CAP OUTLAY	781,300	0	781,300	81,361.46	3,025.38	696,913.16	10.8%
20100000 590011	UTIL-HEAT	12,750	0	12,750	12,318.62	.00	431.38	96.6%
20100000 590012	UTIL-ELECT	243,000	0	243,000	123,709.32	.00	119,290.68	50.9%
20100000 590013	UTIL-WATER	2,600	0	2,600	1,242.68	.00	1,357.32	47.8%
20100000 590014	UTIL-PHONE	1,612	0	1,612	-1,179.99	.00	2,791.99	-73.2%
20100000 595888	INT-BOND	339,439	0	339,439	308,589.90	.00	30,849.10	90.9%
20100000 597888	PRINC-BOND	553,564	0	553,564	553,564.00	.00	.00	100.0%
TOTAL SEWERS-ENTERPRISE		11,103,822	0	11,103,822	52,971.55	2,908,530.14	8,142,320.31	26.7%
TOTAL SEWER		11,103,822	0	11,103,822	52,971.55	2,908,530.14	8,142,320.31	26.7%
	TOTAL REVENUES	0	0	0	-6,822,039.59	.00	6,822,039.59	
	TOTAL EXPENSES	11,103,822	0	11,103,822	6,875,011.14	2,908,530.14	1,320,280.72	

TOWN OF TRUMBULL

YEAR-TO-DATE BUDGET REPORT

FOR 2026 13

	ORIGINAL APPROP	TRANFRS/ ADJSTMTS	REVISED BUDGET	YTD ACTUAL	ENCUMBRANCES	AVAILABLE BUDGET	PCT USE/COL
GRAND TOTAL	11,103,822	0	11,103,822	52,971.55	2,908,530.14	8,142,320.31	26.7%

** END OF REPORT - Generated by Margaret Mastroni **

February 19, 2026

RECEIVED
FEB 19 2026
WATER POLLUTION CONTROL AUTHORITY
BY

Chairman Frank Regnery
Vice Chairman John Bryk
Secretary Jon Greene
Commissioner Bruce Elstein
Trumbull Water Pollution Control Authority
Town of Trumbull
5866 Main Street
Trumbull, CT 06611

Dear Chairman Regnery, Vice Chairman Bryk, Secretary Greene, and Commissioner Elstein,

I am writing to formally request that the Trumbull Water Pollution Control Authority (WPCA) consider my application for a sanitary sewer connection at my property located at 4581 Madison Ave, Trumbull, CT. As you may be aware from prior communications with Town Attorney James Nugent and WPCA Sewer Administrator William Maurer, my single-family residence is situated on the Trumbull-Easton border, with approximately 1/3 acre of my land in Trumbull with an existing sewer lateral located directly on my property. My aging septic system is nearing the end of its service life, posing potential public health and environmental risks, and connecting to the available lateral would be a straightforward, low-impact solution.

I have reviewed the minutes from your November 20, 2025, meeting, which outline the updated protocol for non-resident sanitary sewer connections. As noted, Bridgeport now requires Trumbull to seek approval from the Bridgeport WPCA, a change from the prior process. The Chair mentioned the need for a Trumbull representative to appear before Bridgeport, and Town Attorney Nugent advised that the WPCA has no obligation to pursue such approvals for non-residents. The minutes also indicate that future cases, including emergencies, will be addressed as they arise.

To provide additional context on my efforts to date, here is a chronological summary of the steps I have taken:

- **August 26, 2025**: Visited the Sewer Commission office in Trumbull and spoke with Colleen, who looked up my address and provided a tie card showing the location of my lateral hookup on the property. Colleen also gave me a list of Trumbull-approved contractors to contact.
- **September 19, 2025**: Secured a loan and signed a contract with Mondo Septic and Drainage.
- **September 22, 2025**: Paid a deposit of $4,825.00 to Mondo Septic and Drainage.
- **September 29, 2025**: Application for the permit was filed.
- **October 20, 2025**: Jim Mondo updated me that he was still waiting to hear back from the Town of Trumbull regarding the permit to connect.
- **November 7, 2025**: Jim Mondo contacted me about an issue with my application, prompting me to reach out to the Sewer Commission via phone and later in person, where

I was informed that my application was on hold. I also met with Bill Maurer during this time.

- **November 14, 2025**: Lauren Mapa-Bennett approved my hookup while I waited in the lobby of the Bridgeport WPCA on Seaview Avenue.

I visited the WPCA office in Bridgeport, where staff initially indicated that I could connect because of an existing road cut on Madison Avenue in Trumbull and the ties card shows the location of the lateral on my property. However, this verbal approval was later retracted, and I was directed to speak with Town Attorney James Nugent for further authorization. In my interactions with Mr. Nugent, he has been aggressive and obstructive, repeatedly questioning my reasons for wanting to connect in a demanding manner. I politely explained my position, highlighting the border location of my property, the pre-existing lateral (as confirmed by the tie card from Colleen), my partial land ownership in Trumbull, and the potential health risks from my 63 year old septic. Despite this, his focus has remained on a strict residency interpretation rather than the practical and health-related merits of the case.

I believe the WPCA Board has the discretion to evaluate this request on its merits, consistent with the minutes' discussion of addressing non-resident matters case-by-case (including potential emergencies). My situation qualifies as proactive risk mitigation to prevent septic failure impacts on the shared watershed or neighboring properties.

To support my request:

- The sewer lateral was installed decades ago and is physically accessible on my property (as documented by the tie card provided by Colleen), making connection feasible under Connecticut Public Health Code § 19-13-B103d (which prioritizes public sewers when available for failing septic's).
- I own land in Trumbull, pay property tax, fire tax and all of my utility services originate at 4581 Madison Ave Trumbull.
- This is a single-family home adding minimal flow (less than 200 gallons per day), with no impact on system capacity.
- I am prepared to pay all applicable connection fees. I have already given $4993.88 deposit to Mondo Septic and Drainage.

I respectfully ask that you add my request to the agenda for your next regular meeting on Wednesday, February 25, 2026, at 6:00 PM at Town Hall (or schedule a special review if needed). I am available to attend in person and can provide additional details or answer questions.

Thank you for your time and consideration. I have been a responsible property owner on the Trumbull border for [4.7 years], and I am eager to work collaboratively toward a resolution that benefits public health and the community. Please contact me at 203-979-1153 or my email barb77mur@optonline.net to discuss next steps.

Sincerely,

Barbara Murray

Barbara Murray
4581 Madison Ave
Trumbull, CT 06611


cc: William C. Maurer, WPCA Sewer Administrator/Town Engineer
James Nugent, Town Attorney
Bridgeport WPCA (Attn: Lauren Mapa-Bennett)

SEWER COMMISSION

TOWN OF TRUMBULL

SANITARY SEWER BUILDING LATERAL TIES

Building No.: 4581 Street: Madison Ave



PIPE: 6" PVC DATE: 10/10/05

DISTANCE TO DOWNSTREAM MANHOLE: 186'

COVER @ END: 6 LENGTH: ____ ROCK: ____ C.Y.

REMARKS:

Gerald Frisbie
FIELD OBSERVER

CONTRACT NO. 1

CONTRACTOR: Mark IV Const.

Office: 203-268-8587
Fax: 203-261-2404
Email: admin@MondoSeptic.com

MONDO Septic & Drainage
generations of experience

1603 Monroe Turnpike
Monroe, CT 06468
www.mondoseptic.com

September 2, 2025

Barbara Murray
4581 Madison Avenue
Trumbull, CT 06611

RESIDENTIAL SEWER CONNECTION

- Obtain installation permit from Town of Trumbull Sewer Department
- Call CBYD and get all utilities marked out
- Pump out, crush and fill existing septic tanks (three total, two on left side, one in the rear)
- Dig down, locate and uncover existing 6" lateral near Madison Avenue
- Dig trenching and install 6" sewer pipe with fittings and cleanout needed from all three house outlet pipes to lateral
- Inspected and approved by Trumbull Sewer Department
- Backfill and grade off all disturbed areas
- Connect to sump pump discharge and leader drain as needed with 4" PVC and fittings, dig trench away from house towards Lilac Lane and discharge as discussed
- Backfill and grade off
- Spread topsoil, rake out, seed and hay all disturbed areas from sewer and drainage work

Total including material, equipment, and labor: $9,650.00
(Payment terms are $4,825.00 to start with signed proposal and balance due upon completion)

***POSSIBLE EXTRA CHARGES**

-Driveway damage repair (precautions will be taken)
-Removal of any rock/ledge
-Irrigation repair
-Fence/dog wire repair
-Any surveying and/or engineering needed
-Pump chamber installation
-Tree removal
-Stone wall/retaining wall/walkway/patio repair
-Interior plumbing needed

Acceptance of Proposal: Barbara Murray **Date:** 9/9/25
Signature

All material is guaranteed to be as specified. All work to be completed in a professional manner according to standard practices. Any alterations or deviation from above specifications involving extra costs will be executed only upon written or verbal orders and will become an extra charge over above estimate.

Per Connecticut State Law the customer has the right to cancel this signed contract within three days of the date signed. Cancellation needs to be in writing and mailed to 1603 Monroe Turnpike, Monroe, CT 06468