



Friday, August 09, 2024

Attn: Tim Schwartz
Tighe & Bond
213 Court St, Suite 1100
Middletown, CT 06457

Project ID: TRUMBULL - LAKE FOREST
SDG ID: GCR36617
Sample ID#s: CR36617 - CR36619

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
VT Lab Registration #VT11301



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Sample Id Cross Reference

August 09, 2024

SDG I.D.: GCR36617

Project ID: TRUMBULL - LAKE FOREST

Client Id	Lab Id	Matrix
#1 875 LAKESIDE DR	CR36617	SURFACE WATER
#2 20 WOODBINE CIR	CR36618	SURFACE WATER
#3 435 LAKESIDE DR	CR36619	SURFACE WATER



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

August 09, 2024

FOR: Attn: Tim Schwartz
Tighe & Bond
213 Court St, Suite 1100
Middletown, CT 06457

Sample Information

Matrix: SURFACE WATER
Location Code: TIGHE
Rush Request: Standard
P.O.#: 290196-196B

Custody Information

Collected by: _____
Received by: SR1
Analyzed by: see "By" below

Date Time

08/08/24 8:42

10:07

SDG ID: GCR36617

Phoenix ID: CR36617

Project ID: TRUMBULL - LAKE FOREST
Client ID: #1 875 LAKESIDE DR

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	228	10	MPN/100 mls	10	08/08/24 14:00	DN/KDB	SM9223B-16
Total Coliforms	4350	10	MPN/100 mls	10	08/08/24 14:00	DN/KDB	SW9223B-16

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

August 09, 2024

Reviewed and Released by: Greg Lawrence, Assistant Lab Director



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

August 09, 2024

FOR: Attn: Tim Schwartz
Tighe & Bond
213 Court St, Suite 1100
Middletown, CT 06457

Sample Information

Matrix: SURFACE WATER
Location Code: TIGHE
Rush Request: Standard
P.O.#: 290196-196B

Custody Information

Collected by: _____
Received by: SR1
Analyzed by: see "By" below

Date Time

08/08/24 8:32

10:07

SDG ID: GCR36617

Phoenix ID: CR36618

Laboratory Data

Project ID: TRUMBULL - LAKE FOREST
Client ID: #2 20 WOODBINE CIR

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	259	10	MPN/100 mls	10	08/08/24 14:00	DN/KDB	SM9223B-16
Total Coliforms	8160	10	MPN/100 mls	10	08/08/24 14:00	DN/KDB	SW9223B-16

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

August 09, 2024

Reviewed and Released by: Greg Lawrence, Assistant Lab Director



Environmental Laboratories, Inc.

587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823

Analysis Report

August 09, 2024

FOR: Attn: Tim Schwartz
Tighe & Bond
213 Court St, Suite 1100
Middletown, CT 06457

Sample Information

Matrix: SURFACE WATER
Location Code: TIGHE
Rush Request: Standard
P.O.#: 290196-196B

Custody Information

Collected by: _____
Received by: SR1
Analyzed by: see "By" below

Date Time

08/08/24 8:36

10:07

SDG ID: GCR36617

Phoenix ID: CR36619

Project ID: TRUMBULL - LAKE FOREST
Client ID: #3 435 LAKESIDE DR

Laboratory Data

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Escherichia Coli	2140	10	MPN/100 mls	10	08/08/24 14:00	DN/KDB	SM9223B-16
Total Coliforms	>24200	10	MPN/100 mls	10	08/08/24 14:00	DN/KDB	SW9223B-16

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

August 09, 2024

Reviewed and Released by: Greg Lawrence, Assistant Lab Director

Friday, August 09, 2024

Criteria: None

State: CT

SampNo Acode Phoenix Analyte

Sample Criteria Exceedances Report

GCR36617 - TIGHE

Criteria

Result

RL

Criteria

RL
Criteria

Analysis
Units

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedances. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Comments

August 09, 2024

SDG I.D.: GCR36617

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.



CT/MA/RI CHAIN OF CUSTODY RECORD

587 East Middle Turnpike, P.O. Box 370, Manchester, CT 06040

Email: makrina@phoenixlabs.com

Client Services (860) 645-1102

Customer: Tighe & Bond
Address: 100 Bridgeport Ave
Suite 320
Shelton, CT 06483

Project: Trumbull - Lake Forest
Report to: Tim Schwartz
Invoice to: Tighe & Bond
Quote #: Tighe & Bond Rates

Data Delivery/Contact Options:
 Fax: _____
 Phone: _____
 Email: taschwarz@tighebond.com

This section *MUST* be completed with Bottle Quantities.

Project P.O.: 290196-196B

Client Sample - Information - Identification

Date: _____

Matrix Code:

GW=Drinking Water SW=Ground Water SE=Surface Water WW=Waste Water
RW=Raw Water SE=Sediment SL=Sludge S=Soil SD=Solid W=Wipe OIL=Oil
B=Bulk L=Liquid X=(Other)

PHOENIX USE ONLY

SAMPLE #

36617	#1 875 Lakeside Dr	SW	1/17/2011	8:42	X
36618	#2 20 Woodbine Cir	SW	↓	8:32	X
36619	#3 435 Lakeside Dr	SW	↓	8:36	X

MS/MSD (May be Diluted at Analyst's Discretion)						Total Collision (Count)					
PL	AS/150ml	AS/150ml	AS/150ml	AS/150ml	AS/150ml	PL	AS/150ml	AS/150ml	AS/150ml	AS/150ml	AS/150ml
PL	AS/1000ml	AS/1000ml	AS/1000ml	AS/1000ml	AS/1000ml	PL	AS/1000ml	AS/1000ml	AS/1000ml	AS/1000ml	AS/1000ml
PL	AS/250ml	AS/250ml	AS/250ml	AS/250ml	AS/250ml	PL	AS/250ml	AS/250ml	AS/250ml	AS/250ml	AS/250ml
PL	AS/50ml	AS/50ml	AS/50ml	AS/50ml	AS/50ml	PL	AS/50ml	AS/50ml	AS/50ml	AS/50ml	AS/50ml
PL	AS/10ml	AS/10ml	AS/10ml	AS/10ml	AS/10ml	PL	AS/10ml	AS/10ml	AS/10ml	AS/10ml	AS/10ml
PL	AS/5ml	AS/5ml	AS/5ml	AS/5ml	AS/5ml	PL	AS/5ml	AS/5ml	AS/5ml	AS/5ml	AS/5ml
PL	AS/1ml	AS/1ml	AS/1ml	AS/1ml	AS/1ml	PL	AS/1ml	AS/1ml	AS/1ml	AS/1ml	AS/1ml
PL	AS/0.5ml	AS/0.5ml	AS/0.5ml	AS/0.5ml	AS/0.5ml	PL	AS/0.5ml	AS/0.5ml	AS/0.5ml	AS/0.5ml	AS/0.5ml
PL	AS/0.25ml	AS/0.25ml	AS/0.25ml	AS/0.25ml	AS/0.25ml	PL	AS/0.25ml	AS/0.25ml	AS/0.25ml	AS/0.25ml	AS/0.25ml
PL	AS/0.125ml	AS/0.125ml	AS/0.125ml	AS/0.125ml	AS/0.125ml	PL	AS/0.125ml	AS/0.125ml	AS/0.125ml	AS/0.125ml	AS/0.125ml
PL	AS/0.0625ml	AS/0.0625ml	AS/0.0625ml	AS/0.0625ml	AS/0.0625ml	PL	AS/0.0625ml	AS/0.0625ml	AS/0.0625ml	AS/0.0625ml	AS/0.0625ml
PL	AS/0.03125ml	AS/0.03125ml	AS/0.03125ml	AS/0.03125ml	AS/0.03125ml	PL	AS/0.03125ml	AS/0.03125ml	AS/0.03125ml	AS/0.03125ml	AS/0.03125ml
PL	AS/0.015625ml	AS/0.015625ml	AS/0.015625ml	AS/0.015625ml	AS/0.015625ml	PL	AS/0.015625ml	AS/0.015625ml	AS/0.015625ml	AS/0.015625ml	AS/0.015625ml
PL	AS/0.0078125ml	AS/0.0078125ml	AS/0.0078125ml	AS/0.0078125ml	AS/0.0078125ml	PL	AS/0.0078125ml	AS/0.0078125ml	AS/0.0078125ml	AS/0.0078125ml	AS/0.0078125ml
PL	AS/0.00390625ml	AS/0.00390625ml	AS/0.00390625ml	AS/0.00390625ml	AS/0.00390625ml	PL	AS/0.00390625ml	AS/0.00390625ml	AS/0.00390625ml	AS/0.00390625ml	AS/0.00390625ml
PL	AS/0.001953125ml	AS/0.001953125ml	AS/0.001953125ml	AS/0.001953125ml	AS/0.001953125ml	PL	AS/0.001953125ml	AS/0.001953125ml	AS/0.001953125ml	AS/0.001953125ml	AS/0.001953125ml
PL	AS/0.0009765625ml	AS/0.0009765625ml	AS/0.0009765625ml	AS/0.0009765625ml	AS/0.0009765625ml	PL	AS/0.0009765625ml	AS/0.0009765625ml	AS/0.0009765625ml	AS/0.0009765625ml	AS/0.0009765625ml
PL	AS/0.00048828125ml	AS/0.00048828125ml	AS/0.00048828125ml	AS/0.00048828125ml	AS/0.00048828125ml	PL	AS/0.00048828125ml	AS/0.00048828125ml	AS/0.00048828125ml	AS/0.00048828125ml	AS/0.00048828125ml
PL	AS/0.000244140625ml	AS/0.000244140625ml	AS/0.000244140625ml	AS/0.000244140625ml	AS/0.000244140625ml	PL	AS/0.000244140625ml	AS/0.000244140625ml	AS/0.000244140625ml	AS/0.000244140625ml	AS/0.000244140625ml
PL	AS/0.0001220703125ml	AS/0.0001220703125ml	AS/0.0001220703125ml	AS/0.0001220703125ml	AS/0.0001220703125ml	PL	AS/0.0001220703125ml	AS/0.0001220703125ml	AS/0.0001220703125ml	AS/0.0001220703125ml	AS/0.0001220703125ml
PL	AS/0.00006103515625ml	AS/0.00006103515625ml	AS/0.00006103515625ml	AS/0.00006103515625ml	AS/0.00006103515625ml	PL	AS/0.00006103515625ml	AS/0.00006103515625ml	AS/0.00006103515625ml	AS/0.00006103515625ml	AS/0.00006103515625ml
PL	AS/0.000030517578125ml	AS/0.000030517578125ml	AS/0.000030517578125ml	AS/0.000030517578125ml	AS/0.000030517578125ml	PL	AS/0.000030517578125ml	AS/0.000030517578125ml	AS/0.000030517578125ml	AS/0.000030517578125ml	AS/0.000030517578125ml
PL	AS/0.0000152587890625ml	AS/0.0000152587890625ml	AS/0.0000152587890625ml	AS/0.0000152587890625ml	AS/0.0000152587890625ml	PL	AS/0.0000152587890625ml	AS/0.0000152587890625ml	AS/0.0000152587890625ml	AS/0.0000152587890625ml	AS/0.0000152587890625ml
PL	AS/0.00000762939453125ml	AS/0.00000762939453125ml	AS/0.00000762939453125ml	AS/0.00000762939453125ml	AS/0.00000762939453125ml	PL	AS/0.00000762939453125ml	AS/0.00000762939453125ml	AS/0.00000762939453125ml	AS/0.00000762939453125ml	AS/0.00000762939453125ml
PL	AS/0.000003814697265625ml	AS/0.000003814697265625ml	AS/0.000003814697265625ml	AS/0.000003814697265625ml	AS/0.000003814697265625ml	PL	AS/0.000003814697265625ml	AS/0.000003814697265625ml	AS/0.000003814697265625ml	AS/0.000003814697265625ml	AS/0.000003814697265625ml
PL	AS/0.0000019073486328125ml	AS/0.0000019073486328125ml	AS/0.0000019073486328125ml	AS/0.0000019073486328125ml	AS/0.0000019073486328125ml	PL	AS/0.0000019073486328125ml	AS/0.0000019073486328125ml	AS/0.0000019073486328125ml	AS/0.0000019073486328125ml	AS/0.0000019073486328125ml
PL	AS/0.00000095367431640625ml	AS/0.00000095367431640625ml	AS/0.00000095367431640625ml	AS/0.00000095367431640625ml	AS/0.00000095367431640625ml	PL	AS/0.00000095367431640625ml	AS/0.00000095367431640625ml	AS/0.00000095367431640625ml	AS/0.00000095367431640625ml	AS/0.00000095367431640625ml
PL	AS/0.000000476837158203125ml	AS/0.000000476837158203125ml	AS/0.000000476837158203125ml	AS/0.000000476837158203125ml	AS/0.000000476837158203125ml	PL	AS/0.000000476837158203125ml	AS/0.000000476837158203125ml	AS/0.000000476837158203125ml	AS/0.000000476837158203125ml	AS/0.000000476837158203125ml
PL	AS/0.0000002384185791115625ml	AS/0.0000002384185791115625ml	AS/0.0000002384185791115625ml	AS/0.0000002384185791115625ml	AS/0.0000002384185791115625ml	PL	AS/0.0000002384185791115625ml	AS/0.0000002384185791115625ml	AS/0.0000002384185791115625ml	AS/0.0000002384185791115625ml	AS/0.0000002384185791115625ml
PL	AS/0.00000011920928955778125ml	AS/0.00000011920928955778125ml	AS/0.00000011920928955778125ml	AS/0.00000011920928955778125ml	AS/0.00000011920928955778125ml	PL	AS/0.00000011920928955778125ml	AS/0.00000011920928955778125ml	AS/0.00000011920928955778125ml	AS/0.00000011920928955778125ml	AS/0.00000011920928955778125ml
PL	AS/0.000000059604644778890625ml	AS/0.000000059604644778890625ml	AS/0.000000059604644778890625ml	AS/0.000000059604644778890625ml	AS/0.000000059604644778890625ml	PL	AS/0.000000059604644778890625ml	AS/0.000000059604644778890625ml	AS/0.000000059604644778890625ml	AS/0.000000059604644778890625ml	AS/0.000000059604644778890625ml
PL	AS/0.0000000298023223894453125ml	AS/0.0000000298023223894453125ml	AS/0.0000000298023223894453125ml	AS/0.0000000298023223894453125ml	AS/0.0000000298023223894453125ml	PL	AS/0.0000000298023223894453125ml	AS/0.0000000298023223894453125ml	AS/0.0000000298023223894453125ml	AS/0.0000000298023223894453125ml	AS/0.0000000298023223894453125ml
PL	AS/0.00000001490116119472265625ml	AS/0.00000001490116119472265625ml	AS/0.00000001490116119472265625ml	AS/0.00000001490116119472265625ml	AS/0.00000001490116119472265625ml	PL	AS/0.00000001490116119472265625ml	AS/0.00000001490116119472265625ml	AS/0.00000001490116119472265625ml	AS/0.00000001490116119472265625ml	AS/0.00000001490116119472265625ml
PL	AS/0.0000000074505805973613125ml	AS/0.0000000074505805973613125ml	AS/0.0000000074505805973613125ml	AS/0.0000000074505805973613125ml	AS/0.0000000074505805973613125ml	PL	AS/0.0000000074505805973613125ml	AS/0.0000000074505805973613125ml	AS/0.0000000074505805973613125ml	AS/0.0000000074505805973613125ml	AS/0.0000000074505805973613125ml
PL	AS/0.00000000372529029668065625ml	AS/0.00000000372529029668065625ml	AS/0.00000000372529029668065625ml	AS/0.00000000372529029668065625ml	AS/0.00000000372529029668065625ml	PL	AS/0.00000000372529029668065625ml	AS/0.00000000372529029668065625ml	AS/0.00000000372529029668065625ml	AS/0.00000000372529029668065625ml	AS/0.00000000372529029668065625ml
PL	AS/0.0000000018626451483403125ml	AS/0.0000000018626451483403125ml	AS/0.0000000018626451483403125ml	AS/0.0000000018626451483403125ml	AS/0.0000000018626451483403125ml	PL	AS/0.0000000018626451483403125ml	AS/0.0000000018626451483403125ml	AS/0.0000000018626451483403125ml	AS/0.0000000018626451483403125ml	AS/0.0000000018626451483403125ml
PL	AS/0.00000000093132257417015625ml	AS/0.00000000093132257417015625ml	AS/0.00000000093132257417015625ml	AS/0.00000000093132257417015625ml	AS/0.00000000093132257417015625ml	PL	AS/0.00000000093132257417015625ml	AS/0.00000000093132257417015625ml	AS/0.00000000093132257417015625ml	AS/0.00000000093132257417015625ml	AS/0.00000000093132257417015625ml
PL	AS/0.000000000465661287085078125ml	AS/0.000000000465661287085078125ml	AS/0.000000000465661287085078125ml	AS/0.000000000465661287085078125ml	AS/0.000000000465661287085078125ml	PL	AS/0.000000000465661287085078125ml	AS/0.000000000465661287085078125ml	AS/0.000000000465661287085078125ml	AS/0.000000000465661287085078125ml	AS/0.000000000465661287085078125ml
PL	AS/0.00000000023283064354253984ml	AS/0.00000000023283064354253984ml	AS/0.00000000023283064354253984ml	AS/0.00000000023283064354253984ml	AS/0.00000000023283064354253984ml	PL	AS/0.00000000023283064354253984ml	AS/0.00000000023283064354253984ml	AS/0.00000000023283064354253984ml	AS/0.00000000023283064354253984ml	AS/0.00000000023283064354253984ml
PL	AS/0.00000000011641532177127484ml	AS/0.00000000011641532177127484ml	AS/0.00000000011641532177127484ml	AS/0.00000000011641532177127484ml	AS/0.00000000011641532177127484ml	PL	AS/0.00000000011641532177127484ml	AS/0.00000000011641532177127484ml	AS/0.00000000011641532177127484ml	AS/0	